







SIDE VIEW



END VIEW



(4) DUPLEX OPENINGS
POWER

(4) DECORATOR OPENINGS
COMMUNICATION

TOP VIEW INSIDE BOX

EXTENDED COMPARTMENT ALLOWS FOR LARGE
BEND RADIUS OF COMMUNICATION CABLES AND
INSTALLATION OF AV SWITCHING MODULES

WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com

MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM PAINTED BLACK
NOTES: - STANDARD KNOCKOUTS 3/4" POWER

1" COMMUNICATION (UP TO 2")
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS
- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED



TITLE 400B EXTENDED COMMUNICATION SERIES
CONCRETE FLOOR BOX
CARPET RECESS LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MWP


DATE 01 / 17

PART NO.


APP. BY

DATE



400B-5EXTCOMM-YYYYXXX-CRL



SIDE VIEW



END VIEW



(4) DUPLEX OPENINGS
POWER

(4) DECORATOR OPENINGS
COMMUNICATION

TOP VIEW INSIDE BOX

EXTENDED COMPARTMENT ALLOWS FOR LARGE
BEND RADIUS OF COMMUNICATION CABLES AND
INSTALLATION OF AV SWITCHING MODULES



WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com

MATERIALS : BOX - 16 GA. GALV. STEEL

LID & SURROUND - 11 GA STAINLESS STEEL

NOTES: - STANDARD KNOCKOUTS 3/4" POWER

1" COMMUNICATION (UP TO 2")

- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS

- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED



TITLE 400B EXTENDED COMMUNICATION SERIES
CONCRETE FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MWP


DATE 01 / 17

PART NO.


APP. BY

DATE



400B-5EXTCOMM-YYYYXXXX-FLSS



SIDE VIEW



END VIEW



(2) DUPLEX OPENINGS POWER
(2) DECORATOR OPENINGS
COMMUNICATION

(4) DECORATOR OPENINGS AV
OR PUNCHED TO SUIT

TOP VIEW INSIDE BOX

EXTENDED COMPARTMENT ALLOWS FOR LARGE
BEND RADIUS OF COMMUNICATION CABLES AND
INSTALLATION OF AV SWITCHING MODULES

WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com

MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM PAINTED BLACK
NOTES: - STANDARD KNOCKOUTS 3/4" POWER

1" COMMUNICATION (UP TO 2")
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS
- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED



TITLE 400B EXTENDED COMMUNICATION SERIES
CONCRETE FLOOR BOX
CARPET RECESS LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MWP


DATE 01 / 17

PART NO.


APP. BY

DATE



400B-5EXTCOMM-YY/XXXXXX-CRL



SIDE VIEW



END VIEW



(2) DUPLEX OPENINGS POWER
(2) DECORATOR OPENINGS COMMUNICATION

(4) DECORATOR OPENINGS AV OR PUNCHED TO SUIT

TOP VIEW INSIDE BOX

EXTENDED COMPARTMENT ALLOWS FOR LARGE BEND RADIUS OF COMMUNICATION CABLES AND INSTALLATION OF AV SWITCHING MODULES



WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com

MATERIALS : BOX - 16 GA. GALV. STEEL

LID & SURROUND - 11 GA STAINLESS STEEL

NOTES: - STANDARD KNOCKOUTS 3/4" POWER

1" COMMUNICATION (UP TO 2")

- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS

- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED



TITLE 400B EXTENDED COMMUNICATION SERIES
CONCRETE FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MWP


DATE 01 / 17

PART NO.


APP. BY

DATE



400B-5EXTCOMM-YY/XXXXXX-FLSS



SIDE VIEW



END VIEW



(2) DUPLEX OPENINGS POWER
(2) DECORATOR OPENINGS COMMUNICATION
(1) 4 GANG BOX MOUNT OPENING

TOP VIEW INSIDE BOX

EXTENDED COMPARTMENT ALLOWS FOR LARGE BEND RADIUS OF COMMUNICATION CABLES AND INSTALLATION OF AV SWITCHING MODULES

WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com

MATERIALS : BOX - 16 GA. GALV. STEEL
LID & SURROUND - CAST ALUMINUM PAINTED BLACK
NOTES: - STANDARD KNOCKOUTS 3/4" POWER

1" COMMUNICATION (UP TO 2")
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS
- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED



TITLE 400B EXTENDED COMMUNICATION SERIES
CONCRETE FLOOR BOX
CARPET RECESS LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MWP


DATE 01 / 17

PART NO.


APP. BY

DATE



400B-5EXTCOMM-YY/XX-4GBXMT-CRL



SIDE VIEW



END VIEW



(2) DUPLEX OPENINGS POWER
(2) DECORATOR OPENINGS COMMUNICATION

(1) 4 GANG BOX MOUNT OPENING

TOP VIEW INSIDE BOX

EXTENDED COMPARTMENT ALLOWS FOR LARGE BEND RADIUS OF COMMUNICATION CABLES AND INSTALLATION OF AV SWITCHING MODULES



WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com

MATERIALS : BOX - 16 GA. GALV. STEEL

LID & SURROUND - 11 GA STAINLESS STEEL

NOTES: - STANDARD KNOCKOUTS 3/4" POWER

1" COMMUNICATION (UP TO 2")

- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS

- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED



TITLE 400B EXTENDED COMMUNICATION SERIES
CONCRETE FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MWP

DATE 01 / 17

PART NO.

APP. BY

DATE

400B-5EXTCOMM-YY/XX-4GBXMT-FLSS