







SIDE VIEW




END VIEW




TOP VIEW INSIDE BOX

WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com



MATERIALS : BOX - 16 GA. GALV. STEEL			TITLE	
LID & SURROUND - CAST ALUMINUM PAINTED BLACK			400B SERIES CONCRETE FLOOR BOX	
NOTES: - STANDARD KNOCKOUTS 3/4" POWER			CARPET RECESS LID	
1 " COMMUNICATION (UP TO 2")	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE	NTS	REFERENCE
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS	DR. BY MWP	DATE	01 / 17	PART NO. 400B-5YYYYXXX-CRL
- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED	APP. BY	DATE		



SIDE VIEW



END VIEW




TOP VIEW INSIDE BOX




WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com


MATERIALS : BOX - 16 GA. GALV. STEEL			TITLE	
LID & SURROUND - 11 GA STAINLESS STEEL			400B SERIES CONCRETE FLOOR BOX	
NOTES: - STANDARD KNOCKOUTS 3/4" POWER			FLAT LID	
1 " COMMUNICATION (UP TO 2")	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE	NTS	REFERENCE
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS	DR. BY MWP	DATE	01 / 17	PART NO. 400B-5YYYYYXXX-FLSS
- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED	APP. BY	DATE		



SIDE VIEW




END VIEW




- (2) DUPLEX OPENINGS POWER
(2) DECORATOR OPENINGS COMMUNICATION
- (4) DECORATOR OPENINGS A/V OR PUNCHED TO SUIT

TOP VIEW INSIDE BOX




WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com



MATERIALS : BOX - 16 GA. GALV. STEEL			TITLE	400B SERIES CONCRETE FLOOR BOX CARPET RECESS LID
LID & SURROUND - CAST ALUMINUM PAINTED BLACK				
NOTES: - STANDARD KNOCKOUTS 3/4" POWER				
1 " COMMUNICATION (UP TO 2")	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	SCALE	NTS	REFERENCE
- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS	DR. BY MWP	DATE	01 / 17	PART NO.
- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED	APP. BY	DATE		400B-5YY/XXXXXX-CRL



SIDE VIEW



END VIEW



- (2) DUPLEX OPENINGS POWER (2) DECORATOR OPENINGS COMM (4) DECORATOR OPENINGS AV OR PUNCHED TO SUIT

TOP VIEW INSIDE BOX



WELLMARK ELECTRIC
PH: 519-650-4495
wellmarkelectric.com

MATERIALS : BOX - 16 GA. GALV. STEEL

LID & SURROUND - 11 GA STAINLESS STEEL

NOTES: - STANDARD KNOCKOUTS 3/4" POWER

1" COMMUNICATION (UP TO 2")

- BARRIERS AVAILABLE TO DIVIDE COMPARTMENTS

- PLATES MAY BE CUSTOM PUNCHED IF REQUIRED



TITLE

400B SERIES CONCRETE FLOOR BOX
FLAT LID

DIMENSIONS IN INCHES
UNLESS OTHERWISE SPECIFIED

SCALE NTS

REFERENCE

DR. BY MWP

DATE 01 / 17

PART NO.

APP. BY

DATE

400B-5YY/XXXXXX-FLSS